

# **INCOMPARABLE DEEP CYCLE AGM BATTERY**


LEOCH BATTERY


LDC12-90F (12V90Ah)











Note: Terminal Torque Values in-lb(Nm):34.39-47.75(3.9-5.4)

## **CHARACTERISTICS**

| Item                  |                  | Specifications       |
|-----------------------|------------------|----------------------|
| Voltage               |                  | 12V                  |
| Dimension             | Length           | 260mm (10.2inches)   |
|                       | Width            | 168mm (6.61inches)   |
|                       | Container Height | 211.5mm (8.33inches) |
|                       | Total Height     | 217.5mm (8.56inches) |
| Approx Weight         |                  | 23.4kg (51.6lbs)     |
| Terminal              |                  | T6(M6)               |
| Container Material    |                  | ABS                  |
| Reserve Capacity      | 25A              | 150min               |
|                       | 56A              | 53mir                |
|                       | 75A              | 36min                |
| Capacity              | 20HR             | 90Ah                 |
|                       | 5HR              | 77Ah                 |
| Operating Temp. Range | Discharge        | -20~55°C (-4~131°F)  |
|                       | Charge           | 0~40°C (32~104°F)    |
|                       | Storage          | -15~40°C (5~104°F)   |

### **APPLICATIONS**

- · Electric vehicle
- Golf cart
- Sightseeing
- · Cleaning equipment
- AWP
- Mobility

















## INCOMPARABLE DEEP CYCLE AGM BATTERY



LDC12-90F (12V90Ah)

#### **GENERAL FEATURES**

#### Stable initial capacity

- · PAM/NAM amount optimization
- · 4BS crystal paste mixing & curing technology
- · Double layer separator technology
- · Improved design electrolyte S.G.

#### Less water loss

- · PAM/NAM amount optimization
- · New PAM/NAM recipe introduced
- · Rare earth alloy

#### Solve NAM sulphation

- · Carbon boost technology
- · Pre-sulfate technology

#### Improved PSoC cycling

- · Carbon boost technology
- · Mix carbon boost technology
- Targeting for higher level through carbon technology

#### Delay PAM softening and shedding


- · Plate assembly pressure re-engineering
- · 4BS crystal paste mixing & curing technology
- · Higher paste density


#### Optimize electrolyte stratification


· Introduce AGM-GEL technology


#### Excellent deep cycle performance

- · Plate assembly pressure re-engineering
- · New PAM/NAM recipe introduced
- · Gel electrolyte technology
- · Rare earth alloy
- · Double layer separator technology
- · Lower acid filling temperature









Leoch International Technology Ltd.

@ www.leoch.com

Leoch Batteries Pte Ltd

www.leoch.sg

Leoch Battery Corporation

www.leochamericas.com

Leoch Europe S.A.

www.leoch.eu